



What to do if your child has **SYMPTOMS** that could indicate COVID-19 infection

Child has symptoms of COVID-19 infection

Symptoms include any ONE or more of the following:

- Fever >100.4
- Loss of taste and/or smell

OR TWO or more of the following with new or worsening onset:

- Fatigue
- Headache
- Muscle/body aches
- Chills
- Cough
- Shortness of breath
- Sore throat
- Congestion/runny nose
- Nausea
- Vomiting
- Diarrhea
- Abdominal pain

Child with symptoms should quarantine at home for:

- At least 10 days since start of symptoms
- AND** no fever for at least 24 hours (without fever reducing medication)
- AND** symptoms have improved
- Whichever of the above is longest

Siblings also stay home, following the **EXPOSED** decision tree

Has your symptomatic child been tested for COVID-19?

YES - POSITIVE TEST

NO

YES - NEGATIVE TEST

Parents must notify the school and close contacts

Infected child must continue to quarantine at home for:

- At least 10 days since symptoms started
- **AND** no fever for at least 24 hours (without fever reducing medication)
- **AND** symptoms have improved
- Whichever of the above is longest

Siblings must quarantine for 14 days since last exposure to infected child, following the **EXPOSED** decision tree (if in the same household, sibling quarantine starts the day the symptomatic child meets criteria for returning to school)

Symptomatic child may return to school after 24 hours with no fever

Siblings may return to school immediately

Symptomatic child should continue to quarantine at home for:

- At least 10 days since start of symptoms started
- **AND** no fever for at least 24 hours (without fever reducing medication)
- **AND** symptoms have improved
- Whichever of the above is longest

Siblings follow the **EXPOSED** decision tree, quarantining for 14 days since last exposure (if in the same household, sibling quarantine starts the day the symptomatic child meets criteria for returning to school)